INDEX TO
EXPERIMENTAL MECHANICS
VOLUME 4, 1964

SUBJECT INDEX

Adhesive-bonded Joints, Influence of Stress Distribution on Fatigue Strength of—DOUGLAS Y. WANG, 173–181 (June).
Apparatus for Combined-stress Testing in the Plastic Range, An—H. LI. D. PUGH, W. M. MAIR, and A. C. RAPIER, 281–288 (Oct.).
Application of Post-yield Strain Gages to Nylon Tape—JOHN Q. CRAGIN, 19A–22A (Nov.).*
Axiallysymmetric Test Specimens, Stress-wave Propagation in—R. J. KROLL and C. A. TATRO, 129–134 (May).
Axisymmetrical Parts, Flat Rotating, Photoelastic Coatings on—WAYNE E. NICKOLA, 99–109 (April).

Biaxial Elasto-plastic Analysis of Load and Residual Stresses—G. U. OPPEL, 135–140 (May).
Birefringent Coatings, A Critical Review on the Thickness Effect of—P. S. THEOCARIS and K. DAFERMOS, 271–276 (Sept.).
Birefringent Resins, Some Low-modulus—A. SAN MIGUEL and E. N. DURAN, 84–88 (March).
Bolt Loads, Flange Stress and—E. K. LYNN, 19A–23A (March).*
Buckling of Thin Cylinders, High-speed Photographic Observation of the—DAVID A. EVENSEN, 110–117 (April).
Buckling of Torispherical Shells Under Internal Pressure—J. ADACHI and M. BENICEK, 217–222 (Aug.).

Combined-stress Testing in the Plastic Range, An Apparatus for—H. LI. D. PUGH, W. M. MAIR, and A. C. RAPIER, 281–288 (Oct.).
Complex Structures Under Bending, Nondestructive Testing of—ALAN D. SAPOWITH, 15–19 (Jan.).
Contributions of Applied Mechanics to Space Exploration—HUGH L. DRYDEN, 89–98 (April).
Cracks and Notches, Strain Measurements at the Root of—G. U. OPPEL and P. W. HILL, 206–211 (July).
Critical Review on the Thickness Effect of Birefringent Coatings, A—P. S. THEOCARIS and K. DAFERMOS, 271–276 (Sept.).
Cylinders Under Axial Compression, An Experimental Study of the Buckling of—B. O. ALMROTH, A. M. C. HOLMES, and D. O. BRUSH, 263–270 (Sept.).

Data-reduction Methods for Semiconductor Strain Gages—JAMES DORSEY, 19A–26A (June).*
Determination of Residual Stresses on the Surface of Structural Parts—JOSEPH SCHWAIGHOFER, 54–56 (Feb.).
Dual-beam Polariscope for Oblique Incidence, A—PAUL D. FLYNN, 182–184 (June).
Dynamic and Static Analysis of Strains in Breechblock Components of Large-caliber Weapons—ROBERT E. WEIGLE, 49–53 (Feb.).
Dynamic Stress-concentration Factors—RICHARD SHEA, 20–24 (Jan.).

Effect of Pressure on Electric-resistance Strain Gages—WILLIAM F. BRACE, 212–216 (July).
Effects of High Pressure on Foil Strain Gages, The—R. V. MILLIGAN, 25–36 (Feb.).
Effects of Rotation of Principal Stresses on Photoelastic Retardation—LAWRENCE H. N. LEE, 306–312 (Oct.).
Elastic Stability of Pierced Square Plates—A. L. SCHLACK, JR., 167–172 (June).
Electric-resistance Strain Gages, Effect of Pressure on—WILLIAM F. BRACE, 212–216 (July).
Electric Analog for Systems Containing Coulomb Damping, An—WILFRED D. IWAN, 232–236 (Aug.).
Electrical Analog of Mohr's Circle, An—D.T. WORREL and G. B. CROSS, 118–120 (April).
Engineering Analysis of Linear Photoviscoelastic Materials, The—M. L. WILLIAMS and R. J. ARENZ, 249–262 (Sept.).
Epoxy Resin, On a Type of Photoelastic Mottle in an—R. D. COOK, 151–152 (May).
Experimental Methods for Investigating Strain-wave Propagation and Associated Charge Release in Ferroelectric Materials—C. W. BEADLE and J. W. DALLY, 70–76 (March).
Experimental Study of the Buckling of Cylinders Under Axial Compression, An—B. O. ALMROTH, A. M. C. HOLMES, and D. O. BRUSH, 263–270 (Sept.).
Exploratory Study on Optimum Coining for Improvement of Fatigue Life—P. F. KASGARD, E. E. DAY, and A. S. KOBAYASHI, 297–305 (Oct.).

Extension of the Moiré Method to Thermal Problems—P. DANTU, 64–69 (March).

Fatigue Life, Exploratory Study on Optimum Coining for Improvement of—P. F. KASGARD, E. E. DAY, and A. S. KOBAYASHI, 297–305 (Oct.).
Fillet and Groove Stress Concentrations—D. J. BYNUM and R. C. DEHART, 160–166 (June).
Flange Stress and Bolt Loads—E. K. LYNN, 19A–23A (March).*
Flexure Testing of Plastics—DOUGLAS C. WEST, 185–190 (July).
Foil Strain Gages, The Effects of High Pressure on—R. V. MILLIGAN, 25–36 (Feb.).
Free Vibrations of Multilayered Cylindrical Shells—VICTOR I. WEINGARTEN, 200–205 (July).
Frequency Response of a Photo-viscoelastic Material—G. W. BROWN and D. R. SELWAY, 57–63 (March).

High-speed Photographic Observation of the Buckling of Thin Cylinders—DAVID A. EVENSEN, 110–117 (April).

Immersion Cells for Photoelastic Use—J. BARCIC, 20A (May).†
Influence of Stress Distribution on Fatigue Strength of Adhesive-bonded Joints—DOUGLAS Y. WANG, 173–181 (June).
Instrumentation to Control Strain Rate for Materials Undergoing Plastic Flow—J. F. WILSON, 11–14 (Jan.).
Interaction Curves of Buckling Shells, On Experimental Technique for—JOSEF SINGER, 279–280 (Sept.).
Isopachic Patterns by the Moiré Method—PERICLES S. THEOCARIS, 153–159 (June).

Lap-jointed Thin Shells, Stress-Strain Distribution in—S. A. FORSBERG, J. FRISCH, and R. F. STEIDEL, JR., 328–334 (Nov.).
Linear Photoviscoelastic Materials, The Engineering Analysis of—M. L. WILLIAMS and R. J. ARENZ, 249–262 (Sept.).
Load and Residual Stresses, Biaxial Elasto-plastic Analysis of—G. U. OPPEL, 135–140 (May).

Materials Undergoing Plastic Flow, Instrumentation to Control Strain Rate for—J. F. WILSON, 11–14 (Jan.).
Measuring High Shock in a Transparent Media, A Method for—WILLIAM G. HYZER, 277–278 (Sept.).
Method for Measuring High Shock in Transparent Media, A—WILLIAM G. HYZER, 277–278 (Sept.).
Mohr's Circle, An Electrical Analog of—D. T. WORREL and G. B. CROSS, 118–120 (April).
Moiré Method Applied to Three-dimensional Elastic Problems, The—C. A. SCIAMMARELLA and F. P. CHIANG, 313–319 (Nov.).
Moiré Method and the Evaluation of Principal-moment and Stress Directions, The—J. G. BOUWKAMP, 121–128 (May).
Moiré Method in Thermal Fields, The—PERICLES S. THEOCARIS, 223–231 (Aug.).
Moiré Method, Isopachic Patterns by the—PERICLES S. THEOCARIS, 153–159 (June).
Moiré Method, Thermal Stresses in Cylinders by the—C. A. SCIAMMARELLA and B. E. ROSS, 289–297 (Oct.).
Multiconnected Flat Circular Rings, Photothermoelastic Analysis of Stresses in—R. J. ROTHSTEIN and W. F. KIRKWOOD, 237–243 (Aug.).
Multilayered Cylindrical Shells, Free Vibrations of—VICTOR I. WEINGARTEN, 200–205 (July).

Nomogram for Photoelasticians, A—DOUGLAS M. CAMPBELL, 16A (Dec.).†
Nondestructive Testing of Complex Structures Under Bending—ALAN D. SAPOWITH, 15–19 (Jan.).
Nylon Tape, Application of Post-yield Strain Gages to—JOHN Q. CRAGIN, 19A–22A (Nov.).*
New Interferometric Method of Two-dimensional Stress Analysis, A—M. NISIDA and H. SAITO, 366–376 (Dec.).

Oblique Incidence, A Dual-beam Polariscope for—PAUL D FLYNN, 182–184 (June).
On a Type of Photoelastic Mottle in an Epoxy Resin—R. D. COOK, 151–152 (May).
On Experimental Technique for Interaction Curves of Buckling Shells—JOSEF SINGER, 279–280 (Sept.).
Optical-strain Determination at Transient High Temperatures in Stainless Steel—J. FRISCH and C. L. ARNE, 320–327 (Nov.).
Optimizing Thread-root Contours Using Photoelastic Methods—R. L. MARINO, JR., and W. F. RILEY, 1–10 (Jan.).
Oven-temperature Control, An Inexpensive, but Reliable Linear— M. M. LEVEN, 19A (May).†

Photoelastic Coatings on Flat Rotating Axisymmetrical Parts—WAYNE E. NICKOLA, 99–109 (April).
Photoelastic Experiments, Similarity and Model Laws in—E. MÖNCH, 141–150 (May).
Photoelastic Methods, Optimizing Third-root Contours Using—R. L. MARINO, JR., and W. F. RILEY, 1–10 (Jan.).
Photoelastic Observations Using Tolylene Di-isocyanate Polyurethane—D. J. BYNUM, L. U. RASTELLI, and R. C. DEHART, 191–199 (July).
Photoelastic Retardation, Effects of Rotation of Principal Stresses on—LAWRENCE H. N. LEE, 306–312 (Oct.).
Photoelasticians, A Nomogram for—DOUGLAS M. CAMPBELL, 16A (Dec.).†
Photogrammetric Methods, Plate-deflection Measurement by—B. A. WASIL and D. C. MERCHANT, 77–83 (March).
Photothermoelastic Analysis of Stresses in Multiconnected Flat Circular Rings—R. J. ROTHSTEIN and W. F. KIRKWOOD, 237–243 (Aug.).
Photo-viscoelastic Material, Frequency Response of a—G. W. BROWN and D. R. SELWAY, 57–63 (March).
Pierced Square Plates, Elastic Stability of—A. L. SCHLACK, JR., 167–172 (June).
Plastic Strains and Energy Density in Cracked Plates
Part I—Experimental Techniques and Results—WILLIAM W. GERBERICH, 335–344 (Nov.).
Part II—Comparison with Elastic Theory—W. M. GERBERICH and J. L. SWEDLOW, 345–351 (Dec.).
Plastics, Flexure Testing of—DOUGLAS C. WEST, 185–190 (July).
Plates, Cracked, Plastic Strains and Energy Density in
Part I—Experimental Techniques and Results—WILLIAM W. GERBERICH, 335–344 (Nov.).
Part II—Comparison with Elastic Theory—W. M. GERBERICH and J. L. SWEDLOW, 345–351 (Dec.).
Plate-deflection Measurement by Photogrammetric Methods—B. A. WASIL and D. C. MERCHANT, 77–83 (March).
Principal-moment and Stress Directions, The Moiré Method and The Evaluation of—J. G. BOUWKAMP, 121–128 (May).

Semiconductor Strain Gages, Data-reduction Methods for—JAMES DORSEY 19A–26A (June).*
Similarity and Model Laws in Photoelastic Experiments—E. MÖNCH, 141–150 (May).
Simple Model to Illustrate Some Aspects of Vibration Excitation by Delayed Terms, A—I. FINNIE and B. Y. KIM, 352–355 (Dec.).
Some Low-modulus Birefringent Resins—A. SAN MIGUEL and E. N. DURAN, 84–88 (March).
Space Exploration, Contributions of Applied Mechanics to—HUGH L. DRYDEN, 89–98 (April).
Stainless Steel, Optical-strain Determination at Transient High Temperatures in—J. FRISCH and C. L. ARNE, 320–327 (Nov.).
Strain Measurements at the Root of Cracks and Notches—G. U. OPPEL and P. W. HILL, 206–211 (July).
Strain Measurement Using Vibrating-wire Gages—ROBIN SHEPHERD, 244–248 (Aug.).
Strains in Breechblock Components of Large-caliber Weapons, Dynamic and Static Analysis of—ROBERT E. WEIGLE, 49–53 (Feb.).
Strain-wave Propagation and Associated Charge Release in Ferroelectric Materials, Experimental Methods for Investigating—C. W. BEADLE and J. W. DALLY, 70–76 (March).
Strain-displacement Relations Applied to Experimental Stress Analysis, Various Forms of the—V. J. PARKS and A. J. DURELLI, 37–47 (Feb.).

Stress Concentrations, Fillet and Groove—D. J. BYNUM and R. C. DEHART, 160–166 (June).
Stress-concentration, Dynamic, Factors—RICHARD SHEA, 20–24 (Jan.).
Stress-wave Propagation in Axiallysymmetric Test Specimens—R. J. KROLL and C. A. TATRO, 129–134 (May).
Stress-Strain Distribution in Lap-jointed Thin Shells—S. A. FORSBERG, J. FRISCH, and R. F. STEIDEL, JR., 328–334 (Nov.).
Structural Parts, Determination of Residual Stresses on the Surface of—JOSEPH SCHWAIGHOFER, 54–56 (Feb.).

Thermal Problems, Extension of the Moiré Method to—P. DANTU, 64–69 (March).
Thermal Stresses in Cylinders by the Moiré Method—C. A. SCIAMMARELLA and B. E. ROSS, 289–297 (Oct.).
Thermal Stresses on the Surface of Tube-sheet Plates of 10 and 33$^1/_3$ Percent Ligament Efficiency—M. M. LEVEN and R. L. JOHNSON, 356–365 (Dec.).
Three-dimensional Elastic Problems, The Moiré Method Applied to—C. A. SCIAMMARELLA and F. P. CHIANG, 313–319 (Nov.).
Tolylene Di-isocyanate Polyurethane, Photoelastic Observations Using—D. J. BYNUM, L. U. RASTELLI, and R. C. DEHART, 191–199 (July).
Torispherical Shells, Buckling of, Under Internal Pressure—J. ADACHI and M. BENICEK, 217–222 (Aug.).
Tube-sheet Plates of 10 and 33$^1/_3$ Percent Ligament Efficiency, Thermal Stresses on the Surface of—M. M. LEVEN and R. L. JOHNSON, 356–365 (Dec.).
Two-dimensional Stress Analysis, A New Interferometric Method of—M. NISIDA and H. SAITO, 366–376 (Dec.).

Ultimate Strength of Grooved, Flat Bars for Simulated Biaxial Loading—Published in June 1963 issue
Discussion—JOEL MARKOWITZ, 48 (Feb.).

Various Forms of the Strain-displacement Relations Applied to Experimental Stress Analysis—V. J. PARKS and A. J. DURELLI, 37–47 (Feb.).
Vibration Excitation by Delayed Terms, A Simple Model to Illustrate Some Aspects of—I. FINNIE and B. Y. KIM, 352–355 (Dec.).
Vibrating-wire Gages, Strain Measurement Using—ROBIN SHEPHERD, 244–248 (Aug.).

AUTHOR INDEX

ADACHI, J.—Buckling of Torispherical Shells Under Internal Pressure, 217–222 (Aug.).
ALMROTH, B. O.—An Experimental Study of the Buckling of Cyclinders Under Axial Compression, 263–270 (Sept.).
ARENZ, R. J.—The Engineering Analysis of Linear Photoviscoelastic Materials, 249–262 (Sept.).
ARNE, C. E.—Optical-strain Determination at Transient High Temperatures in Stainless Steel, 320–327 (Nov.).

BARCIC, J.—Immersion Cells for Photoelastic Use, 20A (May).†
BEADLE, C. W.—Experimental Methods for Investigating Strain-wave Propagation and Associated Charge Release in Ferroelectric Materials, 70–76 (March).
BENICEK, M.—Buckling of Torispherical Shells Under Internal Pressure, 217–222 (Aug.).
BOUWKAMP, J. G.—The Moiré Method and the Evaluation of Principal-moment and Stress Directions, 121–128 (May).
BRACE, WILLIAM F.—Effect of Pressure on Electric-resistance Strain Gages, 212–216 (July).
BROWN, G. W.—Frequency Response of a Photoviscoelastic Material, 57–63 (March).
BRUSH, D. O.—An Experimental Study of the Buckling of Cylinders Under Axial Compression, 263–270 (Sept.).
BYNUM, D. J.—Fillet and Groove Stress Concentrations, 160–166 (June).
Photoelastic Observations Using Tolylene Di-isocyanate Polyurethane, 191–199 (July).

CAMPBELL, DOUGLAS M.—A Nomogram for Photoelasticians, 16A (Dec.).†
CHIANG, F. P.—The Moiré Method Applied to Three-dimensional Elastic Problems, 313–319 (Nov.).
COOK, R. D.—On a Type of Photoelastic Mottle in an Epoxy Resin, 151–152 (May).
CRAGIN, JOHN Q.—Application of Post-yield Strain Gages to Nylon Tape, 19A–22A (Nov.).*
CROSS, G. B.—An Electrical Analog of Mohr's Circle, 118–120 (April).

DAFERMOS, K.—A Critical Review on the Thickness of Birefringent Coatings, 271–276 (Sept.).
DALLY, J. W.—Experimental Methods for Investigating Strain-wave Propagation and Associated Charge Release in Ferroelectric Materials, 70–76 (March).
DANTU, P.—Extension of the Moiré Method to Thermal Problems, 64–69 (March).
DAY, E. E.—Exploratory Study on Optimum Coining for Improvement of Fatigue Life, 297–305 (Oct.).
DEHART, R. C.—Fillet and Groove Stress Concentration, 160–166 (June).
Photoelastic Observations Using Tolylene Di-isocyanate Polyurethane, 191–199 (July).
DORSEY, JAMES—Data-reduction Methods for Semiconductor Strain Gages, 19A–26A (June).*
DRYDEN, HUGH L.—Contributions of Applied Mechanics to Space Exploration, 89–98 (April).
DURAN, E. N.—Some Low-modulus Birefringent Resins, 84–88 (March).
DURELLI, A. J.—Various Forms of the Strain-displacement Relations Applied to Experimental Stress Analysis, 37–47 (Feb.).

EVENSEN, DAVID A.—High-speed Photographic Observation of the Buckling of Thin Cylinders, 110–117 (April).

FINNIE, I.—A Simple Model to Illustrate Some Aspects of Vibration Excitation by Delayed Terms, 352–355 (Dec.).
FLYNN, Paul D.—A Dual-beam Polariscope for Oblique Incidence, 182–184 (June).
FORSBERG, S. A.—Stress-Strain Distribution in Lap-jointed Thin Shells, 328–334 (Nov.).
FRISCH, J.—Optical-strain Determination at Transient High Temperatures in Stainless Steel, 320–327 (Nov.).
Stress-Strain Distribution in Lap-jointed Thin Shells, 328–334 (Nov.).

GERBERICH, WILLIAM W.—Plastic Strains and Energy Density in Cracked Plates
Part I—Experimental Techniques and Results, 335–344 (Nov.).
Part II—Comparison with Elastic Theory, 345–351 (Dec.).

HILL, P. W.—Strain Measurements at the Root of Cracks and Notches, 206–211 (July).
HOLMES, A. M. C.—An Experimental Study of the Buckling of Cylinders Under Axial Compression, 263–270 (Sept.).
HYZER, WILLIAM G.—A Method for Measuring High Shock in a Transparent Media, 277–278 (Sept.).

IWAN, WILFRED D.—An Electric Analog for Systems Containing Coulomb Damping, 232–236 (Aug.).

JOHNSON, R. L.—Thermal Stresses on the Surface of Tube-sheet Plates of 10 and 33 1/3 Percent Ligament Efficiency, 356–365 (Dec.).

KASGARD, P. F.—Exploratory Study on Optimum Coining for Improvement of Fatigue Life, 297–305 (Oct.).
KIM, B. Y.—A Simple Model to Illustrate Some Aspects of Vibration Excitation by Delayed Terms, 352–355 (Dec.).
KIRKWOOD, W. F.—Photothermoelastic Analysis of Stresses in Multiconnected Flat Circular Rings, 237–243 (Aug.).
KOBAYASHI, A. S.—Exploratory Study on Optimum Coining for Improvement of Fatigue Life, 297–305 (Oct.).
KROLL, R. J.—Stress-wave Propagation in Axially symmetric Test Specimens, 129–134 (May).

LEE, LAWRENCE H. N.—Effects of Rotation of Principal Stresses on Photoelastic Retardation, 306–312 (Oct.).
LEVEN, M. M.—An Inexpensive, but Reliable Linear Oven-temperature Control, 19A (May).†
Thermal Stresses on the Surface of Tube-sheet Plates of 10 and 33 1/3 Percent Ligament Efficiency, 356–365 (Dec.).
LYNN, E. K.—Flange Stress and Bolt Loads, 19A–23A (March).*

MAIR, W. M.—An Apparatus for Combined-stress Testing in the Plastic Range, 281–288 (Oct.).
MARINO, JR., R. L.—Optimizing Thread-root Contours Using Photoelastic Methods, 1–10 (Jan.).
MARKOWITZ, JOEL—Discussion on the Ultimate Strength of Grooved, Flat Bars for Simulated Biaxial Loading, 48 (Feb.).
MERCHANT, D. C.—Plate-deflection Measurement by Photogrammetric Methods, 77–83 (March).
MILLIGAN, R. V.—The Effects of High Pressure on Foil Strain Gages, 25–36 (Feb.).
MÖNCH, E.—Similarity and Model Laws in Photoelastic Experiments, 141–150 (May).

NICKOLA, WAYNE E.—Photoelastic Coatings on Flat Rotating Axisymmetrical Parts, 99–109 (April).
NISIDA, M.—A New Interferometric Method of Two-dimensional Stress Analysis, 366–376 (Dec.).

OPPEL, G. U.—Biaxial Elasto-plastic Analysis of Load and Residual Stresses, 135–140 (May).
Strain Measurements at the Root of Cracks and Notches, 206–211 (July).

PARKS, V. J.—Various Forms of the Strain-displacement Relations Applied to Experimental Stress Analysis, 37–47 (Feb.).
PUGH, H. LI. D.—An Apparatus for Combined-stress Testing in the Plastic Range, 281–288 (Oct.).

RAPIER, A. C.—An Apparatus for Combined-stress Testing in the Plastic Range, 281–288 (Oct.).
RASTELLI, L. U.—Photoelastic Observations Using Tolylene Di-isocyanate Polyurethane, 191–199 (July).
RILEY, W. F.—Optimizing Thread-root Contours Using Photoelastic Methods, 1–10 (Jan.).
ROSS, B. E.—Thermal Stresses in Cylinders by the Moiré Method, 289–297 (Oct.).
ROTHSTEIN, R. J.—Photothermoelastic Analysis of Stresses in Multiconnected Flat Circular Rings, 237–243 (Aug.).

SAITO, H.—A New Interferometric Method of Two-dimensional Stress Analysis, 366–376 (Dec.).
SAN MIGUEL, A.—Some Low-modulus Birefringent Resins, 84–88 (March).
SAPOWITH, ALAN D.—Nondestructive Testing of Complex Structures Under Bending, 15–19 (Jan.).
SCHLACK, JR., A. L.—Elastic Stability of Pierced Square Plates, 167–172 (June).
SCHWAIGHOFER, JOSEPH—Determination of Residual Stresses on the Surface of Structural Parts, 54–56 (Feb.).
SCIAMMARELLA, C. A.—Thermal Stresses in Cylinders by the Moiré Method, 289–297 (Oct.).
The Moiré Method Applied to Three-dimensional Elastic Problems, 313–319 (Nov.).
SELWAY, D. R.—Frequency Response of a Photoviscoelastic Material, 57–63 (March).
SHEA, RICHARD—Dynamic Stress-concentration Factors, 20–24 (Jan.).
SHEPHERD, ROBIN—Strain Measurement Using Vibrating-wire Gages, 244–248 (Aug.).
SINGER, JOSEF—On Experimental Technique for Interaction Curves of Buckling Shells, 279–280 (Sept.).
STEIDEL, JR., R. F.—Stress-Strain Distribution in Lap-jointed Thin Shells, 328–334 (Nov.).
SWEDLOW, J. L.—Plastic Strains and Energy Density in Cracked Plates
Part II—Comparison with Elastic Theory, 345–351 (Dec.).

TATRO, C. A.—Stress-wave Propagation in Axially-symmetric Test Specimens, 129–134 (May).
THEOCARIS, PERICLES S.—Isopachic Patterns by the Moiré Method, 153–159 (June).
The Moiré Method in Thermal Fields, 223–231 (Aug.).
A Critical Review on the Thickness Effect of Birefringent Coatings, 271–276 (Sept.).

WANG, DOUGLAS Y.—Influence of Stress Distribution on Fatigue Strength of Adhesive-bonded Joints, 173–181 (June).
WASIL, B. A.—Plate-deflection Measurement by Photogrammetric Methods, 77–83 (March).
WEIGLE, ROBERT E.—Dynamic and Static Analysis of Strains in Breechblock Components of Large-caliber Weapons, 49–53 (Feb.).
WEINGARTEN, VICTOR I.—Free Vibrations of Multilayered Cylindrical Shells, 200–205 (July).
WEST, DOUGLAS C.—Flexure Testing of Plastics, 185–190 (July).
WILLIAMS, M. L.—The Engineering Analysis of Linear Photoviscoelastic Materials, 249–262 (Sept.).
WILSON, J. F.—Instrumentation to Control Strain Rate for Materials Undergoing Plastic Flow, 11–14 (Jan.).
WORREL, D. T.—An Electrical Analog of Mohr's Circle,. 118–120 (April).

* *Practical Applications*
† *Here's How*